

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|---------------------|
| L1 | 72 | filter\$4 and dielectric adj3 (resonator resonance resonant\$) and (pcb pwb printed adj3 board) and electromagnetic\$4 and (secur\$5 attach\$4 fasten\$4 affix\$4) and (line stripline microstrip conductor) and (terminat\$4 shunt \$4) and (recess groove trough trench niche hole opening dent indentation) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/26 15:04 |
| L2 | 51 | filter\$4 and dielectric adj3 (resonator) and (pcb pwb printed adj3 board) and electromagnetic\$4 and (secur\$5 attach\$4 fasten\$4 affix\$4) and (line stripline microstrip conductor) and (terminat\$4 shunt \$4) and (recess groove trough trench niche hole opening dent indentation) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/26 15:05 |
| L3 | 8 | "6127907" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/26 15:08 |
| L4 | 1790 | (333/202).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/26 15:11 |
| L5 | 872 | (333/219).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/26 15:12 |

| | | | | | | |
|-----|-----|--|---|----|-----|---------------------|
| L6 | 789 | (333/219.1).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/26 15:12 |
| L7 | 414 | (333/227).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/26 15:12 |
| L8 | 917 | 4 and (dielectric ceramic) near3 (resonator resonance resonant\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/26 15:12 |
| L9 | 103 | 8 and (pcb pwb printed adj3 board) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/26 15:13 |
| L10 | 360 | 5 and (dielectric ceramic) near3 (resonator resonance resonant\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/26 15:17 |
| L11 | 48 | 10 and (pcb pwb printed adj3 board) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/26 15:17 |
| L12 | 709 | 6 and (dielectric ceramic) near3 (resonator resonance resonant\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/26 15:19 |
| L13 | 40 | 12 and (pcb pwb printed adj3 board) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/26 15:19 |
| L14 | 66 | 7 and (dielectric ceramic) near3 (resonator resonance resonant\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/26 15:21 |
| L15 | 6 | 14 and (pcb pwb printed adj3 board) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/26 15:21 |

| | | | | | | |
|-----|-----|--|---|----|----|---------------------|
| L16 | 213 | (8 10 12 14) and board not (9 11 13 15) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/26 15:22 |
| L17 | 2 | (dielectric adj3 (resonator resonance resonant\$) and (pcb pwb printed adj3 board) and electromagnetic\$4 and (secur\$5 attach\$4 fasten\$4 affix\$4) and (line stripline microstrip conductor) and (terminat\$4 shunt \$4) and (recess groove trough trench niche hole opening dent indentation)).clm. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/26 15:28 |

5/26/08 4:01:32 PM

C:\Documents and Settings\KGlenn\My Documents\EAST\Workspaces\10576619.wsp